

www.CaldwellReports.com

855-4Caldwell 855-422-6393

FAX 866-645-5264



Name: Sample Personnel Evaluation Report

Gender: Female

Age: 40

Marital Status: Separated

Education: 15

Test Administered: Minnesota Multiphasic Personality

Inventory(MMPI-2®)

Administered by: Zachary Sample

Test Date: February 26, 2021

Processed: August 03, 2021

Copyright © Caldwell Reports. This report is intended for use by qualified professionals only and is not to be shared with the examinee or any other unqualified persons.

Minnesota Multiphasic Personality Inventory-2 profile form Copyright © by the Regents of the University of Minnesota.1942, 1943(renewed 1970), 1989. All rights reserved. Used by permission of the University of Minnesota Press. "MMPI" and "Minnesota Multiphasic Personality Inventory" are registered trademarks owned by the Regents of the University of Minnesota.* Special scales that are not included in the MMPI - 2 approved and published by the University of Minnesota Press.


PERSONNEL EVALUATION

ABBREVIATIONS FOR RATING 3 = SIGNIFICANT POTENTIAL FOR DIFFICULTIES 4. SELF-CONTROL AND ANGER CONTROL 2 = POSSIBLE CONCERN 2 1 = MILD/OCCASIONAL TENDENCY BLANK = NOT INDICATED undercontrolled aggression under stress X 1. VALIDITY AND ACCEPTABILITY OF PERSONALITY PROFILE could be dangerous to others X irritable, hasty reactions X denied common, trivial moral faults "chip-on-the-shoulder" attitude X minimizing of psychological problems could be self-righteous and punitive serious personal problems may have been X covered over rigid and brittle controls; potentially explosive X too many atypical and questionable responses Under Control 1 2 3 4 5 6 7 8 9 10 Atrisk Valid 1 2 3 4 5 6 7 8 9 10 Uacceptable 5. WORK FACTORS: POTENTIAL PROBLEMS ON-THE-JOB AND 2. POTENTIAL FOR PROBLEMATIC WITH CO-WORKERS PSYCHOLOGICAL-EMOTIONAL REACTIONS 3 2 risk of undue "time off sick" high level of concern about own health, potential for recurrent medical absences moodiness, could drag others down prone to pain and other body complaints without sufficient physical basis, overreactive to injuries inhibited, lacks needed assertiveness depressed, low morale would interfere with functioning problems in handling criticism X slowed down pace, may not keep up X lacks flexibility, rule-bound lacks emotional stablity and self-regulation X potentially irritating or disturbing of staff morale X could misinterpret the motives of others and act X on wrong beliefs lacks longterm persistence, vocational stability X insecure, fearful, lacks mature self-confidence X lacks warmth, sensitivity unable to handle hostility from others. may X disorganize under intense hostility X distant and slow to trust others overexcitable and easily distracted rationalizer, always has an excuse X unrealistic optimism, apt to get "carried-away" manipulative of others X starter but non-finisher lacks realistic self-appraisal X deficits of practical organization overly ambitious, unrealistic expectations likely to seek responsibilities beyond training and 1 2 3 4 5 6 7 8 9 10 Serious Problems Not indicated low overall effectiveness 3. JUDGMENT AND DEPENDABILITY 1 2 3 4 5 6 7 8 9 10 Unfavorable Favorable X deficits of conscience and integrity potential for over-reactions and loss of judgment **OVERALL EVALUATION** X under stress problematic reactions to normal discipline LEVEL 1 MOST ACCEPTABLE X LEVEL 2 impulsive, failures to anticipate consequences X LEVEL 3 accident prone LEVEL 4 serious longterm risk of alcoholism and/or drug LEVEL 5 LESS ACCEPTABLE X

LEAST ACCEPTABLE

1 2 3 4 5 6 7 8 9 10 Undependable

Stable



Minnesota Multiphasic Personality Inventory-2 profile form. Copyright © by the Regents of the University of Minnesota. 1942, 1943 (renewed 1970), 1989. All rights reserved. Used by permission of the University of Minnesota Press. "MMPI" and "Minnesota Multiphasic Personality Inventory" are registered trademarks owned by the Regents of the University of Minnesota.

^{*} Special scales that are not included in the MMPI-2 approved and published by the University of Minnesota Press

	RAW	K	RAW+K	Т
?	0			
L	3			47
F	2			44
K	18			56
1-(Hs)	1	9	10	40
2-(D)	16			42
3-(Hy)	22			49
4-(Pd)	19	7	26	58
5-(Mf)	36			50
6-(Pa)	15			67
7-(Pt)	5	18	23	40
8-(Sc)	8	18	26	50
9-(Ma)	16	4	20	51
0-(Si)	21			44

2-D a	nd Subscales			6-Pa aı	nd Subscales		
		RAW	Т			RAW	T
D	(full scale)	16	42	Pa	(full scale)	15	67
D1	Subjective depression	3	39	Pa1	Persecutory ideas	7	81
D2	Indecision-retardation	6	51	Pa2	Poignant sensitivity	1	40
D3	Health pessimism	3	48	Pa3	Moral righteousness	6	55
D4	Mental dullness	1	43				
D5	Brooding, loss of hope	0	37				
3-Ну	and Subscales			8-Sc a	and Subscales		
		RAW	Т			RAW	Т
Ну	(full scale)	22	49	Sc	(full scale)	8	50
Hy1	Denies social anxiety	6	61	Sc1	Social alienation	4	53
Hy2	Need for affection	8	55	Sc2	Emotional alienation	0	40
нуЗ	Lassitude - malaise	1	43	Sc3	Ego defect, cognitive	1	49
Hy4	Somatic complaints	1	41	Sc4	Ego defect, conative	0	39
Hy5	Inhibits aggression	4	54	Sc5	Defective inhibition	1	46
				Sc6	Sensorimotor dissociation	1	45
4-Pd and Subscales				9-Ma a	and Subscales		
		RAW	Т			RAW	Т
Pd	(full scale)	19	58	Ma	(full scale)	16	51
Pd1	Family discord	1	44	Ma1	Opportunism	2	54
Pd2	Authority problems	4	61	Ma2	Psychomotor acceleration	5	50
Pd3	Social disinhibition	5	58	Ma3	Imperturbability	2	43
Pd4	Social alienation	6	60	Ma4	Ego inflation	4	56
Pd5	Self-alienation	2	43				
5-Mf	and Subscales			0-Si a	and Subscales		
		RAW	Т			RAW	T
Mf	(full scale)	32	0	Si	(full scale)	21	44
GM	Gender masculine	32	55	Si1	Shyness and self-consciousness	1	38
GF	Gender feminine	39	53	Si2	Social avoidance	3	51
				Si3	Alienation - self and others	2	41

Major Clinical Variables				Validity & Stability			
		RAW	Т			RAW	Т
ES	Ego strength	39	59	VRIN	Response inconsistency	4	46
MAC-R	Potential alcoholism	19	50	TRIN	T-F inconsistency	8	58F
AAS		2	50	F-back	Rare answers - back	3	54
Mt	College maladjustment	7	42	F(p)	Psychiatric infrequency	1	49
N-P	Neurotic-psychotic profile balance		75	S	Superlative self-presentation	27	52
Interpersonal Style Variables				Distre	ss-Control		
		RAW	Т			RAW	Т
O-H	Overcontrolled hostility	17	63	PK	PTSD	4	43
Но	Cynical hostility	15	47				
Conte	nt Scales			Supple	mental Scales*		
		RAW	Т			RAW	Т
HEA	Health concerns	1	36				
DEP	Depression	0	34	Ds	Overemphasize-fake sick	7	44
FAM	Family problems	6	50	Мр	Consciously fake good	9	52
ASP	Antisocial practices	8	54	Sd	Consciously fake good	9	40
ANG	Anger	4	45	Ss	SES identification	62	58
CYN	Cynicism	9	50	Ch	Correction for H	16	52
ANX	Anxiety	9	55	Rc	Retest-consistency	25	53
OBS	Obsessiveness	2	41	Ic	Retest-item change	14	44
FRS	Fears - phobias	4	43	Tc	Retest-score change	10	43
BIZ	Bizarre mentation	5	61	ER-S	Ego resiliency	22	58
LSE	Low self-esteem	5	51	EC-5	Ego control	13	47
TPA	Type A	6	45	ORIG	Need novelty	17	45
SOD	Social discomfort	5	46	INT	Abstract interests	49	51
WRK	Work interference	5	45	Do	Need for autonomy	17	53
TRT	Negative treatment indicators	2	43	Dy	Need reassurances	9	40
				Pr	Intolerance	12	56
				Re	Value rigidity	17	38
				Et	Ethnocentrism	7	41
				St	Status mobility	20	57
				R-S	Repression-sensitization	18	40
				Lbp	Low back pain	8	46
				Ва	Good teamworker	49	58
				Ca	Caudality-distress	4	40
				Cn	Control-facade	19	45
				So-r	Life as desirable	33	58
				Th-r	Tired housewife	9	43
				Wb-r	Worried breadwinner	10	44

^{*} Special scales that are not included in the MMPI-2 approved and published by the University of Minnesota Press