

Supplemental Validity Scales

Name:Sally A. MillerGender:FemaleAge:40Marital Status:SeparatedEducation:15

Referred By:Zachary SampleTested:January 02, 2018Processed:July 23, 2020

TEST ADMINISTERED: Minnesota Multiphasic Personality Inventory-2 (MMPI-2)


TEST TAKING ATTITUDE Attention and Comprehension: Her score on the Variable Response Inconsistency scale (VRIN) was unelevated; her item responses were self-consistent throughout the inventory. This suggests that she was clearly able to read and comprehend the test items, that she was attentive in considering her responses, and that she consistently matched the item numbers in the booklet to the corresponding numbers on the answer sheet. She does not appear to have had any difficulties in understanding the content or responding to the format of the inventory.

Attitude and Approach: In her approach to the inventory, she was mildly self-favorable and minimizing of psychological problems. The profile appears valid by the usual criteria for scales L, F, and K.

She made almost no atypical and rarely given responses to the items in the second half of the inventory (scale F-back). This was consistent with the relative absence of such rare answers to the earlier MMPI-2 items (scale F). The profile clearly does not appear to be of questionable validity because of atypical responding.

Socio-cultural Influences vs. Conscious Distortion: The supplemental validity scales showed an above average score on the scale (Ss) measuring her level of currently attained, recently experienced, or self-perceived socioeconomic status. She did not show any significant amount of conscious defensiveness, and there were no indications of any intentionally self-favorable slanting of her responses. She appears to be a person of above average socioeconomic status identification whose mild elevation on scale K was probably due to such factors as an emotional reserve or some general sophistication of her self-presentation.

$\frac{Caldwell}{REPORTS}$



Minnesota Multiphasic Personality Inventory-2 profile form. Copyright © by the Regents of the University of Minnesota. 1942, 1943 (renewed 1970), 1989. All rights reserved. Used by permission of the University of Minnesota Press. "MMPI" and "Minnesota Multiphasic Personality Inventory" are registered trademarks owned by the Regents of the University of Minnesota.

* Special scales that are not included in the MMPI-2 approved and published by the University of Minnesota Press

$\frac{Caldwell}{REPORTS}$

Name:	Sally A. Miller
Gender:	Female
Age:	40
Marital Status:	Separated
Education:	15

Referred By:	Zachary	Sample
Tested:	January	02, 2018
Processed:	July 23,	2020

6 - 4 9 5 8 / 3 0 2 1 7 :

	RAW	K	RAW+K	Т
?	0			
L	3			47
F	2			44
K	18			56
1-(Hs)	1	9	10	40
2-(D)	16			42
3-(Hy)	22			49
4-(Pd)	19	7	26	58
5-(Mf)	36			50
6-(Pa)	15			67
7-(Pt)	5	18	23	40
8-(Sc)	8	18	26	50
9-(Ma)	16	4	20	51
0-(Si)	21			44

2-D 8	and Subscales			6-Pa	and Subscales		
		RAW	Т			RAW	Т
D	(full scale)	16	42	Pa	(full scale)	15	67
D1	Subjective depression	3	39	Pal	Persecutory ideas	7	81
D2	Indecision-retardation	б	51	Pa2	Poignant sensitivity	1	40
D3	Health pessimism	3	48	Pa3	Moral righteousness	6	55
D4	Mental dullness	1	43				
D5	Brooding, loss of hope	0	37				

		RAW	Т			RAW T	
Hy	(full scale)	22	49	Sc	(full scale)	8 50	
Hyl	Denies social anxiety	б	61	Scl	Social alienation	4 53	
Hy2	Need for affection	8	55	Sc2	Emotional alienation	0 40	
Hy3	Lassitude - malaise	1	43	Sc3	Ego defect, cognitive	1 49	
Hy4	Somatic complaints	1	41	Sc4	Ego defect, conative	0 39	
Hy5	Inhibits aggression	4	54	Sc5	Defective inhibition	1 46	
				Sc6	Sensorimotor dissociation	1 45	

4-Pd	and Subscales		
		RAW	Т
Pd	(full scale)	19	58
Pd1	Family discord	1	44
Pd2	Authority problems	4	61
Pd3	Social disinhibition	5	58
Pd4	Social alienation	6	60
Pd5	Self-alienation	2	43

0.10-			
9-ма	and	Subscales	

8-Sc and Subscales

	RAU	J	Т
Ma (full s	cale) 16	5	51
Mal Opportu	nism 2	2	54
Ma2 Psychom	otor acceleration 5	5	50
Ma3 Impertu	rbability 2	2	43
Ma4 Ego inf	lation	ł	56

5-Mf	and	Subscales
3-ML	anu	Subscares

- 1

		RAW	Т
Mf	(full scale)	32	0
GM	Gender masculine	32	55
GF	Gender feminine	39	53

0-Si and Subscales

		RAW	Т
Si	(full scale)	21	44
Si1	Shyness and self-consciousness	1	38
Si2	Social avoidance	3	51
Si3	Alienation - self and others	2	41

Major Clinical Variables			Validity & Stability				
-		RAW	Т			RAW	т
ES	Ego strength	39	59	VRIN	Response inconsistency	4	46
MAC-R	Potential alcoholism	19	50	TRIN	T-F inconsistency	8	58F
AAS		2	50	F-back	Rare answers - back	3	54
Mt	College maladjustment	7	42	F(p)	Psychiatric infrequency	1	49
N-P	Neurotic-psychotic profile balance		75	S	Superlative self-presentation	27	52
Interpersonal Style Variables				Distre	ss-Control		
		RAW	Т			RAW	Т
O-H	Overcontrolled hostility	17	63	PK	PTSD	4	43
Но	Cynical hostility		47				
Content Scales				Supple	mental Scales*		
		RAW	Т			RAW	т
HEA	Health concerns	1	36	SAP	Teen drugs/alcohol	11	58
DEP	Depression	0	34	Ds	Overemphasize-fake sick	7	44
FAM	Family problems	б	50	Мр	Consciously fake good	9	52
ASP	Antisocial practices	8	54	Sd	Consciously fake good	9	40
ANG	Anger	4	45	Ss	SES identification	62	58
CYN	Cynicism	9	50	Ch	Correction for H	16	52
ANX	Anxiety	9	55	Rc	Retest-consistency	25	53
OBS	Obsessiveness		41	Ic	Retest-item change	14	44
FRS	Fears - phobias	4	43	Тс	Retest-score change	10	43
BIZ	Bizarre mentation	5	61	ER-S	Ego resiliency	22	58
LSE	Low self-esteem	5	51	EC-5	Ego control		47
TPA	Туре А	6	45	ORIG	Need novelty	17	45
SOD	Social discomfort	5	46	INT	Abstract interests	49	51
WRK	Work interference	5	45	Do	Need for autonomy	17	53
TRT	Negative treatment indicators		43	Dy	Need reassurances	9	40
				Pr	Intolerance		56
				Re	Value rigidity		38
				Et	Ethnocentrism		41
				St	Status mobility		57
				R-S	Repression-sensitization		40
				Lbp	Low back pain		46
				Ba	Good teamworker		58
				Ca	Caudality-distress		40
				Cn	Control-facade		45
				So-r	Life as desirable		58
				30-1 Th-r	Tired housewife		43
				Wb-r	Worried breadwinner		44
				T		τŪ	

* Special scales that are not included in the MMPI-2 approved and published by the University of Minnesota Press

MMPI-2 CRITICAL ITEMS

This Caldwell report also provides the clinician with lists of critical items endorsed by the test-taker. They are not posted in this public sample report in order to protect the integrity of the test.